



MATERIAL SAFETY DATA SHEET

Desi View®

Date-Issued: 07/17/2004
MSDS Ref. No: 5013
Date-Revised: 07/17/2004
Revision No: New MSDS

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Desi View®

GENERAL USE: Desiccant

Manufacturer/Supplier

Süd-Chemie Performance Packaging
 101 Christine Drive
 Rio Grande Industrial Park
 Belen, NM 87002
Customer Service: 505-864-6691

24 HR. EMERGENCY TELEPHONE NUMBERS

CHEMTREC (U.S.): (800) 424-9300
Canutec (613) 996-6666
Emergency Phone: 502-634-7200

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Wt. %</u>	<u>CAS#</u>
Pouch, Bag, Canister, Stopper or Cap	1 - 75	
Clay	20 - 95	1302-78-9
Synthetic Amorphous Silca	1 - 10	63231-67-4
Silica, quartz	<0.5	14808-60-7
Cobalt (II) Chloride	<0.1	7646-79-9

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Packaged granular desiccant, size and type vary.

IMMEDIATE CONCERNS: There are no health hazards associated with intact desiccant container. However, health hazards do exist as a result of the dusts generated if the container is cut, split or otherwise compromised. Prolonged or excessive exposure to dust may cause lung damage. Dust can be irritating to eyes.

POTENTIAL HEALTH EFFECTS

EYES: Route of exposue unlikely. Dust may cause a mechanical irritation which can scratch the eye.

SKIN: No adverse effects expected.

INGESTION: Route of exposure unlikely. Substance may be harmful if swallowed.

INHALATION: Route of exposure unlikely. This material is normally packaged and contained in a pouch, bag or canister. If the container is opened, prolonged or repeated inhalation of the dust may cause lung damage.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Redness, irritation, scratched cornea.

INGESTION: Upset stomach, vomiting, diarrhea, sensation of hotness.

INHALATION: Irritation of nose, throat and upper respiratory tract.

CARCINOGENICITY: This product contains crystalline silica which is known to cause cancer. Prolonged or repeated exposure to respirable dust may cause silicosis. This material is packaged and contained in a pouch, bag or canister that prevent prolonged or repeated inhalation.

4. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

SKIN: Wash with soap and water.

INGESTION: Call physician or Poison Control Center immediately. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. Seek medical attention if cough or other symptoms develop or persist.

NOTES TO PHYSICIAN: Chronic ingestion may cause blood abnormalities (polycythemia), increased clotting time, hyperplasia of the bone marrow and thyroid gland, cardiomyopathy, and damage to the pancreas in sensitive individuals.

5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: Material is not flammable

EXTINGUISHING MEDIA: Use extinguishing agent applicable to surrounding fire.

FIRE FIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus operated in pressure-demand mode, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: No special precautions required.

LARGE SPILL: With shovel or scoop, place material into appropriate container.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: There are little or no health hazards associated with intact desiccant package. Do not cut, open or remove chemical dehumidifying agent from package.

HANDLING: Use of proper hygiene practices in the workplace is recommended.

STORAGE: Store in a dry area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES:

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200)

		<u>EXPOSURE LIMITS</u>			
		<u>OSHA PEL</u>		<u>ACGIH TLV</u>	
		<u>ppm</u>	<u>mg/m³</u>	<u>ppm</u>	<u>mg/m³</u>
Clay	TWA			[1]	
Synthetic Amorphous Silica	TWA		6		10
Silica, quartz	TWA	[2]		[3]	0.05
Cobalt (II) Chloride	TWA			[4]	0.02

OSHA TABLE COMMENTS:

1. Not Established.
2. Total Dust = (30 mg/m³)/(%SiO₂+2)
3. Respirable
4. as Co

ENGINEERING CONTROLS: Good general ventilation should be sufficient to control airborne levels.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: None needed during normal use and handling.

SKIN: Use of proper hygiene practices in the workplace is recommended.

RESPIRATORY: None needed during normal use and handling.

COMMENTS: All inert or nuisance dusts, whether mineral, inorganic, or organic, not listed specifically by substance name are covered by the Particulates Not Otherwise Regulated (PNOR) limit which is 5 mg/m³ for respirable fraction and 15 mg/m³ for total dust.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Solid

ODOR: None

SOLUBILITY IN WATER: Insoluble

10. STABILITY AND REACTIVITY

STABLE: YES

HAZARDOUS POLYMERIZATION: NO

11. TOXICOLOGICAL INFORMATION

ACUTE

ORAL LD₅₀: 418 mg(Cobalt II Chloride)/kg rodent (rat)

CARCINOGENICITY:

IARC: Crystalline silica. Classification: Group 1 "carcinogenic to humans".

NTP: The National Toxicology Program's Tenth Report on Carcinogens lists respirable crystalline silica as a "Known Human Carcinogen."

OSHA: Not listed.

GENERAL COMMENTS: Carcinogenicity classification due to a very small amount of crystalline silica.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Low hazard for usual industrial or commercial handling.

ECOTOXICOLOGICAL INFORMATION:

Aquatic Toxicity (Cobalt (II) Chloride):

96-hr LC50 (R. hexadactyla) = 17,590 ug/L

96-hr LC50 (X. laevis) = 10,400 ug/L

48-hr LC50 (R. hexadactyla) = 25,990 ug/L

24-hr LC50 (R. hexadactyla) = 32,220 ug/L

48-hr EC50 (T. tubifex) = 447, 710 ug/L

96-hr LC50 (B. sowerbyi) = 132,620 ug/L

CHEMICAL FATE INFORMATION: This material is of mineral origin. It is not biodegradable.

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: This product, if discarded as sold, is not a RCRA hazardous waste. Processing, use or

contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Not regulated

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES:

FIRE: NO **PRESSURE GENERATING:** NO **REACTIVITY:** NO **ACUTE:** NO **CHRONIC:** YES

313 REPORTABLE INGREDIENTS: Cobalt compounds.

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: Not listed.

TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA STATUS: All components are listed on the TSCA Inventory or are excluded or exempt.

RCRA STATUS: This product, if discarded as sold, is not a RCRA hazardous waste. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations.

CLEAN AIR ACT

APPENDIX A: HAZARDOUS AIR POLLUTANTS (AIR TOXICS): Not listed.

CANADA

WHMIS (WORKER HAZARDOUS MATERIALS INFORMATION SYSTEM): This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

CANADA INGREDIENT DISCLOSURE LIST: Contains component(s) listed on the Canadian Hazardous Products Act Ingredient Disclosure List.

CANADIAN ENVIRONMENTAL PROTECTION ACT: All ingredients are listed on the Canadian Domestic Substances List inventory.

STATE REGULATIONS California

CALIFORNIA PROPOSITION 65: This product does not contain chemical(s) known to the state of California to cause cancer, birth defects, or reproductive harm.

Crystalline silica present is contained within a pouch, canister or bag. There is no exposure to airborne particles of respirable size under normal conditions of use.

16. OTHER INFORMATION

APPROVED BY: Prepared and approved by SHE Dept. Sud-Chemie Inc.

INFORMATION CONTACT: 502-634-7492

REVISION SUMMARY

Date-Issued: 07/17/2004

New MSDS

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate but is not warranted. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances.